EAST Search History

EAST Search History (Prior Art)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|--|---|---------------------|---------|---------------------|
| S159 | 1332 | determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline) with (before prior) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:41 |
| S160 | 1035 | (stor\$3 sav\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory) | US-PGPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:42 |
| S161 | 420 | S160 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:42 |
| S162 | 1086 | (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:42 |
| S163 | 437 | S162 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:42 |

| S164 | 0 | S159 same S161 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:43 |
|------|-------|---|---|----|----|---------------------|
| S165 | 0 | S159 same S160 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:43 |
| S166 | 0 | S159 same S162 | US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:43 |
| S167 | 420 | S161 and S163 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:43 |
| S168 | 31130 | 710/8,15-17,19,31,33,36,39,52.cds. 709/234.cds. 711/118.cds. 714/5,47.cds. 358/1.1,1.13,1.15,1.16,400,404,442,444.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:43 |
| S169 | 69 | S159 and S168 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 16:43 |
| S170 | 7 | determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) with (after) near4 (drive disk disc non \$1volatile) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:00 |

| S171 | 80 | determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) with (after) near4 (sav\$3 stor\$3 back\$4up stor \$3 buffer\$3 spool\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:03 |
|------|-------|--|---|----|----|---------------------|
| S172 | 22 | determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) same (after) near4 (drive disk disc non \$1volatile) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:03 |
| S173 | 12 | determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) same (after) near4 (sav\$3 stor\$3 back\$4up stor \$3 buffer\$3 spool\$3) near3 (drive disk disc non\$1volatile memory) | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:06 |
| S174 | 2 | "20050114568",pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S175 | 18834 | (buffer memory ram short\$1term) with (long\$1term (hard adj2 drive) prom eeprom firmware) with stor\$3 with (available busy unavailable function\$3 malfunction\$3 operating operational) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S176 | 1203 | S175 same printer | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S177 | 4921 | 710/8,15,17,19,31,33.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| S178 | 130 | | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|------|------|---|---|----|----|---------------------|
| S179 | 5257 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S180 | 139 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S181 | 9 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S182 | 322 | \$1term (hard adj2 drive) prom eeprom firmware) with stor | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S183 | 508 | \$1term (hard adj2 drive) prom eeprom firmware) with stor | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S184 | 8 | | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| S185 | 746 | \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction \$3 operating operational connected off) with print\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|------|-----|---|---|----|----|---------------------|
| S186 | 47 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S187 | 18 | | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S188 | 3 | printer with busy with stor\$3 with drive | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S189 | 23 | () | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S190 | 2 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S191 | 4 | , | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S192 | 6 | ("6023343").URPN. | USPAT | OR | ON | 2009/10/09 18:11 |
| S193 | 14 | 30 1 1 1 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |

| S194 | 21 | ("3597071" "4503499" "4769771" "4821107" "4970554" "5021892" "5043881" "5047955" "5086497" "5113393" "5113494" "5126932" "5170340" "5175633" "5223948" "5276799" "5278950" "5307458" "5367673" "5436730" "5504843").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
|------|-----|--|---|----|----|---------------------|
| S195 | 1 | (temporary adj (memory buffer)) with (hard adj2 drive) with peripheral near3 (available busy unavailable function \$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S196 | 145 | (memory buffer) with (hard adj2 drive) with peripheral near3 (available busy unavailable function\$3 malfunction \$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S197 | 58 | (memory buffer) with (hard adj2 drive) with (sav\$3 stor \$3) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S198 | 196 | ((hard adj2 drive) long\$1term permanent non\$1volatile) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S199 | 24 | (secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S200 | 2 | "0755021" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S201 | 0 | ep0755021 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| \$202 | 244 | print near3 server with drive | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|-------|-----|---|---|----|----|---------------------|
| S203 | 201 | print adj server with drive | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S204 | 12 | print adj server with hard adj drive | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$205 | 2 | *20040139265".pn. | US-PGPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S206 | 0 | (user person operator) with cancel\$4 with (job task) with ram with printer | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S207 | 24 | (user person operator) with cancel\$4 with (job task) with (memory buffer queue) with printer | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$208 | 3 | *6614559".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| S209 | 5257 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|-------|------|---|---|----|----|---------------------|
| S210 | 1 | | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| \$211 | 145 | | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S212 | 58 | , | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| \$213 | 196 | , , , , , , , , , , , , , , , , , , , | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 |
| \$214 | 24 | (secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S215 | 5 | | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| \$216 | 2 | [| US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| \$217 | 4 | | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| \$218 | 24 | (secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |

| S219 | 728 | (sav\$3 stor\$3) near4 (data object file information job task) near4 (drive disc disk memory) with peripheral near3 (available busy unavailable function\$3 malfunction \$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
|-------|------|--|---------------------------|----|----|---------------------|
| S220 | 16 | ("4399538" "4458307" "4611289" "5371873" "5784628" "5845142" "5920728" "5971790" "5978922" "6304981" "6314502" "6314528" "6353894" "6487521" "6516440" "6694453").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S221 | 484 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) with peripheral near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S222 | 728 | (sav\$3 stor\$3) near4 (data object file information job task) near4 (drive disc disk memory) with peripheral near3 (available busy unavailable function\$3 malfunction \$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S223 | 448 | \$222 and \$221 | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S224 | 9 | S222 and suspend\$3 near4 (drive disc disk memory) | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S225 | 4 | \$222 and suspend\$3 near4 (data object file information job task) near5 (drive disc disk memory) | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S226 | 1834 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) same peripheral near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| \$227 | 4801 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S228 | 950 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1 volatile permanent)adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |

| S229 | 955 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1 volatile permanent) adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off disconnect\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
|-------|------|--|---|----|----|---------------------|
| S230 | 28 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near3 (unavailable unaccessible malfunction\$3 disconnect\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S231 | 2 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near2 (unavailable unaccessible malfunction\$3 disconnect\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S232 | 2498 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| \$233 | 5257 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S234 | 74 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$235 | 14 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S236 | 23 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence present) | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |

| \$237 | 27 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence present absence absent) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
|-------|-------|--|---|----|----|---------------------|
| S238 | 2 | ("6614559").URPN. | USPAT | OR | ON | 2009/10/09 18:11 |
| S239 | 6 | ("6694453").URPN. | USPAT | OR | ON | 2009/10/09 18:11 |
| \$240 | 10 | ("4399538" "4611289" "5371873" "5784628" "5791790" "6304981" "6314502" "6314528" "6487521" "6516440").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S241 | 11 | (storage near2 disk) near4 print adj data | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S242 | 5257 | 710/8,15-17,19,31,33.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S243 | 29986 | 710/8,15-17,19,31,33,36,39,52.cds. 709/234.cds. 711/118.cds. 714/5,47.cds. 358/1.1,1.13,1.15,1.16,400. cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S244 | 955 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1 volatile permanent)adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off disconnect\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S245 | 508 | y (| US-PGPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S246 | 200 | \$243 and \$244 | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |

| \$247 | 29 | S244 and S245 | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
|-------|-------|--|---|------|-------|---------------------|
| S248 | 115 | ©43 and ©45 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S249 | 2498 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S250 | 525 | \$243 and \$249 | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| \$251 | 18 | \$245 and \$250 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S252 | 11 | raz-israel\$.in. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$253 | 50 | ("4290421" "5550990" "5680624" "5968138" "3785909" "4247893" "4249239" "4248010" "4251821" "4252215" "4253362" "4253304" "4253672" "4255835" "4257826" "4257466" "4261399" "4262799" "4266376" "4271492" "4270698" "4274262" "4276255" "4276582" "4281569" "4283094" "4283036" "4282975" "4287428" "4290497" "4292025" "4294135" "429230" "4300884" "4307909" RE30875 "4310017" "4311017" "4312489" "4314354" "4317303" "4318244" "4318602" "4319263" "4326311"). pn. | ius-Pgpub; iuspat | ÖR . | ON ON | 2009/10/09 18:11 |
| \$254 | 31130 | 710/8,15-17,19,31,33,36,39,52.cds. 709/234.cds. 711/118.cds. 714/5,47.cds. 358/1.1,1.13,1.15,1.16,400,404,442,444.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| S255 | 2498 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
|-------|------|---|---|----|----|---------------------|
| S256 | 769 | S255 same access\$5 | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S257 | 114 | \$254 and \$256 | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S258 | 473 | S256 same connected | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S259 | 51 | \$255 same access\$5 near4 connected | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| \$260 | 2932 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S261 | 7869 | (sav\$3 stor\$3 back\$4up) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S262 | 213 | S260 same (sav\$3 stor\$3 back\$4up) near2 tempora\$5 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S263 | 51 | \$254 and \$262 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S264 | 370 | S261 same (sav\$3 stor\$3 back\$4up) near2 tempora\$5 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S265 | 81 | \$254 and \$264 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/10/09 18:11 |
| S266 | 39 | \$265 not \$263 | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| \$267 | 0 | snagit\$.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| \$268 | 0 | snag\$1it\$.as. | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|-------|---------|---|---|----|----|---------------------|
| \$269 | 11 | raz-israel\$.in. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$270 | 7 | *5898827" | US-PCPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$271 | 1664210 | (stor\$3 buffer\$3) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$272 | 1684172 | (stor\$3 buffer\$3 spool\$3) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$273 | 1347672 | (peripheral device) near4 (unavailable connected coupled) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| \$274 | 123429 | \$272 same \$273 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|-------|---------|---|---|----|----|---------------------|
| \$275 | 31130 | 710/8,15-17,19,31,33,36,39,52.cds. 709/234.cds. 711/118.cds. 714/5,47.cds. 358/1.1,1.13,1.15,1.16,400,404,442,444.cds. | US-PGPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$276 | 970385 | (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$277 | 1929016 | (peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$278 | 92519 | \$276 same \$277 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$279 | 1337 | S278 and remote with field | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| \$280 | 44 | S 15 and S 19 € 15 and S 19 € 15 € 15 € 15 € 15 € 15 € 15 € 15 € | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|-------|---------|---|---|----|----|---------------------|
| \$281 | 2 | "5898824".pn. | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S282 | 8 | ("5177620" "5483353" "5598533" "5621540" "5659669" "5675422" "5798848" "H001677").PN. | US-PGPUB; USPAT; USOOR | OR | ON | 2009/10/09 18:11 |
| S283 | 16 | ("5898824").URPN. | USPAT | OR | ON | 2009/10/09 18:11 |
| \$284 | 970385 | (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2) | US-PCPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$285 | 1929016 | (peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$286 | 40997 | \$284 with \$285 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| \$287 | 79 | \$286 same (ebt mri spect ct pet) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|-------|--------|---|---|----|----|---------------------|
| \$288 | 34 | *6564271" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$289 | 3 | *6564271".pn. | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 |
| \$290 | 72 | test near3 result with output\$4 with peripheral | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$291 | 73 | test near3 (result report) with output\$4 with peripheral | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$292 | 970385 | (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| \$293 | 1929016 | (peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|-------|---------|---|---|----|----|---------------------|
| \$294 | 92519 | \$292 same \$293 | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$295 | 1337 | \$294 and remote with field | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$296 | 0 | \$295 and \$291 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$297 | 51 | S291 and S293 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$298 | 2911 | (portable mobile) near4 (ultrasound ebt mri spect ct pet) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| S299 | 872 | \$293 and \$298 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|-------|--------|--|---|----|----|---------------------|
| \$300 | 107 | \$293 same \$298 | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S301 | 970385 | (cav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S302 | 329 | \$299 and \$301 | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S303 | 1 | \$300 same \$301 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S304 | 31130 | 710/8,15-17,19,31,33,36,39,52.cds. 709/234.cds. 711/118.cds. 714/5,47.cds. 358/1.1,1.13,1.15,1.16,400,404,442,444.cds. | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| \$305 | 1 | S302 and S168 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|-------|-----|--|---|----|----|---------------------|
| S306 | 1 | S299 and S168 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| \$307 | 349 | (portable mobile) near4 (ultrasound ebt mri spect ct pet) near4 imaging | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S308 | 447 | (portable mobile) near4 (ultrasound ebt mri spect ct pet) near4 imag\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S309 | 180 | S293 and S308 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S310 | 92 | S301 and S309 | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| S311 | 400 | spool\$3 with (RAM volatile) with (peripheral printer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|------|------|---|---|----|----|---------------------|
| S312 | 198 | S301 same S311 | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S313 | 108 | S168 and S312 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S314 | 3907 | (print\$3 output\$4) near3 upon near3 (connect\$3 coupl\$3) | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S315 | 0 | S308 and S314 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S316 | 7 | S311 and S314 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |

| S317 | 320 | (stor\$3 sav\$3) near3 (drive disk disc non\$1volatile) near3 instead near3 (ram volatile sram) | US-PGPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|------|------|--|---|----|----|---------------------|
| S318 | 529 | (stor\$3 sav\$3) near3 (drive disk disc non\$1volatile) near3 instead near3 (ram volatile sram memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S319 | 5 | S318 same peripheral | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S320 | 1035 | (stor\$3 sav\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S321 | 8 | S160 same peripheral | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S322 | 45 | S160 same printer | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S323 | 420 | S160 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM TDB | OR | ON | 2009/10/09 18:11 |

| S324 | 1086 | (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory) | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
|------|------|--|---|----|-----|---------------------|
| S325 | 437 | S162 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S326 | 7 | \$162 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) near4 (peripheral printer ultrasound ebt mri spect ct pet) | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S327 | 52 | S163 same file | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S328 | 2 | "7180619".pn. | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 18:11 |
| S329 | 23 | ("20010038462" "20020027673" "20020042798" "5241397" "5287194" "5528734" "5845058" "5859711" "5897260" "5978650" "5982996" "5995721" "5995723" "6088120" "6157465" "6229622" "6248996" "6266150" "6337745" "6452692" "6618167" "6700678" "RE37258").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/10/09 18:11 |
| S330 | 0 | ("7180619").URPN. | USPAT | OR | OFF | 2009/10/09 18:11 |

| S331 | 1368 | (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline) with | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|------|------|---|---|----|----|---------------------|
| S332 | 1097 | instead near5 (ram volatile sram memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S333 | 447 | i e | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S334 | 1151 | (drive disk disc non\$1volatile) near5 instead near5 (ram | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S335 | 465 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S336 | 0 | i . | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S337 | 0 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S338 | 0 | S331 same S334 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|------|-------|--|---|----|----|---------------------|
| S339 | 447 | S333 and S335 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S340 | 32191 | 710/8,15-17,19,31,33,36,39,52.cds. 709/234.cds. 711/118.ccls. 714/5,47.cds. 358/1.1,1.13,1.15,1.16,400,404,442,444.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S341 | 71 | S331 and S340 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S342 | 8 | determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) with (after) near4 (drive disk disc non \$1volatile) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S343 | 86 | determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) with (after) near4 (sav\$3 stor\$3 back\$4up stor \$3 buffer\$3 spool\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S344 | 23 | determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) same (after) near4 (drive disk disc non \$1volatile) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S345 | 12 | determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) same (after) near4 (sav\$3 stor\$3 back\$4up stor \$3 buffer\$3 spool\$3) near3 (drive disk disc non\$1 volatile memory) | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|-------|-------|---|---|----|----|---------------------|
| S346 | 2 | *20050114568*.pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; BM_TDB | OR | ON | 2010/01/25 14:34 |
| \$347 | 19557 | (buffer memory ram short\$1term) with (long\$1term (hard adj2 drive) prom eeprom firmware) with stor\$3 with (available busy unavailable function\$3 malfunction\$3 operating operational) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; BM_TDB | OR | ON | 2010/01/25 14:34 |
| S348 | 1243 | S347 same printer | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S349 | 5092 | 710/8,15,17,19,31,33.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S350 | 132 | \$349 and \$347 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S351 | 5443 | 710/8,15-17,19,31,33.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S352 | 141 | | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|-------|-----|---|---|----|----|---------------------|
| S353 | 9 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S354 | 333 | \$3 with (available busy unavailable function\$3 malfunction | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S355 | 527 | (buffer memory ram short\$1term temporary) with (long \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction \$3 operating operational connected off) with printer | | OR | ON | 2010/01/25 14:34 |
| S356 | 8 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S357 | 775 | \$1term (hard adj2 drive) prom eeprom firmware) with stor | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| \$358 | 48 | | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM TDB | OR | ON | 2010/01/25 14:34 |

| S359 | 18 | ("4872091" "5003494" "5047955" "5050100" "5159681" "5201031" "5241662" "5297876" "5345314" "5357607" "5408589" "5478155" "5524186" "5537517" "5548740" "5553202" "5563987" "5579452"),PN. | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
|------|----|--|---|----|----|---------------------|
| S360 | 3 | printer with busy with stor\$3 with drive | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
| S361 | 25 | printer with busy with stor\$3 with available | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
| S362 | 2 | ("6241673").PN. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S363 | 4 | ("6238344" "6358204").PN. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S364 | 6 | ("6023343").URPN. | USPAT | OR | ON | 2010/01/25 14:34 |
| S365 | 14 | ("4970554" "5101494" "5450571" "5467434" "5483653" "5559933" "5579087" "5580177" "5581736" "5619649" "5715381" "5790119" "5893129" "6023343"),PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S366 | 21 | ("3597071" "4503499" "4769771" "4821107" "4970554" "5021892" "5043881" "5047955" "5086497" "5113393" "5113494" "5126932" "5170340" "5175633" "5223948" "5276799" "5278950" "5307458" "5367673" "5436730" "5504843").PN. | US-PCPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S367 | 1 | (temporary adj (memory buffer)) with (hard adj2 drive) with peripheral near3 (available busy unavailable function \$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |

| S368 | 148 | (memory buffer) with (hard adj2 drive) with peripheral near3 (available busy unavailable function\$3 malfunction \$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
|-------|-----|--|---|----|----|---------------------|
| S369 | 61 | (memory buffer) with (hard adj2 drive) with (sav\$3 stor \$3) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S370 | 207 | ((hard adj2 drive) long\$1term permanent non\$1volatile) with (sav\$3 stor\$3) near4 (data object file information jcb task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S371 | 24 | (secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S372 | 2 | *0755021* | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S373 | 0 | ep0755021 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S374 | 255 | print near3 server with drive | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| \$375 | 208 | print adj server with drive | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S376 | 12 | print adj server with hard adj drive | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|------|------|---|---|----|----|---------------------|
| S377 | 2 | "20040139265".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S378 | 0 | (user person operator) with cancel\$4 with (job task) with ram with printer | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S379 | 25 | (user person operator) with cancel\$4 with (job task) with (memory buffer queue) with printer | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S380 | 3 | *6614559*.pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S381 | 5443 | 710/8,15-17,19,31,33.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S382 | 1 | (temporary adj (memory buffer)) with (hard adj2 drive) with peripheral near3 (available busy unavailable function \$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S383 | 148 | (memory buffer) with (hard adj2 drive) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |

| S384 | 61 | (memory buffer) with (hard adj2 drive) with (sav\$3 stor \$3) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
|-------|-----|--|---------------------------|----|----|---------------------|
| \$385 | 207 | ((hard adj2 drive) long\$1term permanent non\$1volatile) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
| S386 | 24 | (secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| \$387 | 5 | S381 and S383 | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
| \$388 | 2 | S381 and S384 | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
| S389 | 4 | S381 and S385 | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
| S390 | 24 | (secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S391 | 748 | (sav\$3 stor\$3) near4 (data object file information job task) near4 (drive disc disk memory) with peripheral near3 (available busy unavailable function\$3 malfunction \$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S392 | 16 | ("4399538" "4458307" "4611289" "5371873" "5784628" "5845142" "5920728" "5971790" "5978922" "6304981" "6314502" "6314528" "6353894" "6487521" "6516440" "6694453").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S393 | 496 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) with peripheral near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |

| S394 | 748 | (sav\$3 stor\$3) near4 (data object file information job task) near4 (drive disc disk memory) with peripheral near3 (available busy unavailable function\$3 malfunction \$3 operating operational connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
|------|------|--|---------------------------|----|----|---------------------|
| S395 | 457 | S394 and S393 | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
| S396 | 9 | S394 and suspend\$3 near4 (drive disc disk memory) | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
| S397 | 5 | | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
| S398 | 1892 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) same peripheral near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S399 | 4956 | | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S400 | 976 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent) adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S401 | 981 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1 volatile permanent) adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off disconnect\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S402 | 29 | (sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near3 (unavailable unaccessible malfunction\$3 disconnect\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |

| S403 | 3 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near2 (unavailable unaccessible malfunction\$3 disconnect\$3) | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
|------|------|--|---|----|----|---------------------|
| S404 | 2560 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S405 | 5443 | 710/8,15-17,19,31,33.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S406 | 76 | S404 and S405 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S407 | 14 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S408 | 23 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence present) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S409 | 30 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence present absence absent) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S410 | 2 | ("6614559").URPN. | USPAT | OR | ON | 2010/01/25 14:34 |
| S411 | 6 | ("6694453").URPN. | USPAT | OR | ON | 2010/01/25 14:34 |
| S412 | 10 | ("4399538" "4611289" "5371873" "5784628" "5791790" "6304981" "6314502" "6314528" "6487521" "6516440").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |

| S413 | 12 | | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
|------|-------|---|---|----|----|---------------------|
| S414 | 5443 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S415 | 31034 | 711/118.cds. 714/5,47.cds. 358/1.1,1.13,1.15,1.16,400. cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S416 | 981 | 3(| US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S417 | 527 | \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S418 | 204 | S415 and S416 | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
| S419 | 30 | 1000 | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S420 | 117 | | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S421 | 2560 | 3(| US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |

| S422 | 535 | S415 and S421 | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
|------|-------|---|---|----|----|---------------------|
| S423 | 18 | S417 and S422 | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S424 | 11 | raz-israel\$.in. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S425 | 50 | ("4290421" "5550990" "5680624" "5968138" "3785909" "4247893" "4249239" "4248010" "4251821" "4252215" "4253362" "4253304" "4253672" "4255835" "4257826" "4257466" "4263399" "4262799" "4266376" "4271492" "4270698" "4274262" "4276255" "4276582" "4281569" "4283094" "4283036" "4282975" "4287428" "4290497" "4292025" "4294135" "4299230" "4300884" "4307909" RE30875 "4310017" "4311017" "4312489" "4314354" "4317303" "4318244" "4318602" "4319263" "43265311"). pn. | US-PGPUB; USPAT | ÖR | ON | 2010/01/25 14:34 |
| S426 | 32191 | 710/8,15-17,19,31,33,36,39,52.cds. 709/234.cds. 711/118.ccls. 714/5,47.cds. 358/1.1,1.13,1.15,1.16,400,404,442,444.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S427 | 2560 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S428 | 789 | S427 same access\$5 | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S429 | 116 | S426 and S428 | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S430 | 484 | S428 same connected | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |

| S431 | 55 | S427 same access\$5 near4 connected | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
|------|------|--|---|----|----|---------------------|
| S432 | 3010 | (sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S433 | 8092 | (sav\$3 stor\$3 back\$4up) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S434 | 219 | S432 same (sav\$3 stor\$3 back\$4up) near2 tempora\$5 | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S435 | 54 | S426 and S434 | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S436 | 378 | \$433 same (sav\$3 stor\$3 back\$4up) near2 tempora\$5 | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S437 | 84 | S426 and S436 | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S438 | 39 | S437 not S435 | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/25 14:34 |
| S439 | 0 | snagit\$.as. | US-PCPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S440 | 0 | snag\$1it\$.as. | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S441 | 11 | raz-israel\$.in. | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S442 | 7 | *5898827" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|-------|---------|--|---|----|----|---------------------|
| S443 | 1712221 | (stor\$3 buffer\$3) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| \$444 | 1732357 | (stor\$3 buffer\$3 spool\$3) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S445 | 1392391 | (peripheral device) near4 (unavailable connected coupled) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S446 | 128299 | S444 same S445 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S447 | 32191 | 710/8,15-17,19,31,33,36,39,52.cds. 709/234.cds. 711/118.cds. 714/5,47.cds. 358/1.1,1.13,1.15,1.16,400,404,442,444.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S448 | 999005 | (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|-------|---------|---|---|----|----|---------------------|
| S449 | 1986973 | (peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| \$450 | 96043 | S448 same S449 | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S451 | 1399 | C450 and remote with field | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S452 | 45 | S447 and S451 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S453 | 2 | *5898824".pn. | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S454 | 8 | ("5177620" "5483353" "5598533" "5621540" "5659669" "5675422" "5798848" "H001677").PN. | US-PGPUB; USPAT; USOOR | OR | ON | 2010/01/25 14:34 |
|------|---------|---|---|----|----|---------------------|
| S455 | 16 | ("5898824").URPN. | USPAT | OR | ON | 2010/01/25 14:34 |
| S456 | 999005 | (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S457 | 1986973 | (peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S458 | 42472 | S456 with S457 | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S459 | 84 | S458 same (ebt mri spect ct pet) | US-PCPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S460 | 36 | "6564271" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S461 | 3 | "6564271".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|------|---------|---|---|----|----|---------------------|
| S462 | 73 | test near3 result with output\$4 with peripheral | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S463 | 75 | test near3 (result report) with output\$4 with peripheral | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S464 | 999005 | (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S465 | 1986973 | (peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S466 | 96043 | S464 same S465 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| \$467 | 1399 | S466 and remote with field | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|-------|------|---|---|----|----|---------------------|
| S468 | 0 | S467 and S463 | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S469 | 53 | S463 and S465 | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S470 | 2993 | (portable mobile) near4 (ultrasound ebt mri spect ct pet) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S471 | 905 | S465 and S470 | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S472 | 109 | S465 same S470 | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S473 | 999005 | (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|-------|--------|---|---|----|----|---------------------|
| S474 | 337 | S471 and S473 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| \$475 | 1 | S472 same S473 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S476 | 32191 | 710/8,15-17,19,31,33,36,39,52.cds. 709/234.cds. 711/118.cds. 714/5,47.cds. 358/1.1,1.13,1.15,1.16,400,404,442,444.cds. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S477 | 1 | S474 and S340 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S478 | 1 | S471 and S340 | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S479 | 360 | (portable mobile) near4 (ultrasound ebt mri spect ct pet) near4 imaging | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|------|-----|--|---|----|----|---------------------|
| S480 | 458 | (portable mobile) near4 (ultrasound ebt mri spect ct pet) near4 imag\$3 | US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S481 | 186 | S465 and S480 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S482 | 93 | S473 and S481 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S483 | 412 | spool\$3 with (RAM volatile) with (peripheral printer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S484 | 201 | S473 same S483 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S485 | 109 | S340 and S484 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|------|------|--|---|----|----|---------------------|
| S486 | 3960 | (print\$3 output\$4) near3 upon near3 (connect\$3 coupl\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S487 | 0 | S480 and S486 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S488 | 7 | S483 and S486 | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S489 | 336 | (stor\$3 sav\$3) near3 (drive disk disc non\$1volatile) near3 instead near3 (ram volatile sram) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S490 | 568 | (stor\$3 sav\$3) near3 (drive disk disc non\$1volatile) near3 instead near3 (ram volatile sram memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S491 | 5 | S490 same peripheral | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |

| S492 | 1097 | (stor\$3 sav\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|------|------|---|---|----|----|---------------------|
| S493 | 8 | S332 same peripheral | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S494 | 48 | S332 same printer | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S495 | 447 | \$332 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S496 | 1151 | (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S497 | 465 | \$334 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S498 | 8 | \$334 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) near4 (peripheral printer ultrasound ebt mri spect ct pet) | US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM TDB | OR | ON | 2010/01/25 14:34 |

| S499 | 55 | S335 same file | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
|------|----|--|---|----|-----|---------------------|
| S500 | 2 | *7180619".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2010/01/25 14:34 |
| S501 | 23 | ("20010038462" "20020027673" "20020042798" "5241397" "5287194" "5528734" "5845058" "5859711" "5897260" "5978650" "5982996" "5995721" "5995723" "6088120" "6157465" "6229622" "6248996" "6266150" "6337745" "6452692" "6618167" "6700678" "RE37258").FN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/01/25 14:34 |
| S502 | 0 | ("7180619").URPN. | USPAT | OR | OFF | 2010/01/25 14:34 |

1/26/2010 10:52:04 AM

C:\ Documents and Settings\ dmartinez\ My Documents\ EAST\ Workspaces\ 10-722914 Conditional Output to Available Peripheral device.wsp